
How to measure your Hot Tub Cover

This guide will help you measure your spa or hot tub cover so that it will fit perfectly. Even if a cover manufacturer has your spa on file, take the time to measure and be sure.

Measuring your Spa

Regardless of the shape your spa, you should measure from lip to lip, or the outside dimension of the acrylic which is the same as lip to lip. After you have a lip to lip measurement you **may** add up to 1" on both length and width. This will give you a 1/2" of play all around your spa cover.



Skirt Measurement


The skirt is the flap that hangs from the bottom of your cover. The skirt protects the spa surface and aids in heat retention, if not measured correctly can cause some problems because if it is too long it will bunch and push your spa cover up. If you have a wood rail as in the picture above measure from the top of the wood rail to the top of your spa acrylic. If anything you want to be a little short rather than long so the skirt does not bunch. If you do not have a wood rail then you want to measure from the top of the spa to the bottom of the spa lip and add 1/2".

Radius

This is the one that makes everyone worried. As the diagram shows the easiest way to measure a radius is with a carpenter square. The dimension needed is from the start of the bend to the imaginary point of the square if the tub was actually square. Rule of thumb is smaller is safer than larger. The smaller the radius the more square the corners of the hot tub cover. Spa cover radius will always be an even number.

Square or Rectangle with a radius on four corners

To measure radius "C": extend straight lines indicated in red by laying straightedges against the sides of the spa. Measure from point "Y" to point "Z".



Square cover

The square hot tub cover is the easiest cover to measure, just measure your outside lip to lip, and add 1" to each dimension. The only other dimension you will need is the skirt length.

Rectangle cover

The same as the square spa cover, but make sure you request the fold direction you require. Most companies will by default cut the longest of the two sides in half.

Square or Rectangle with Radius Corners

Follow the square and rectangle spa cover procedure and add the radius measurement.

Round

The round spa cover is easy to measure as well. You only need the lip to lip measurement, if your old cover is measurable just measure across the seam. Remember to add 1" of play. The only other measurement needed is the skirt length.

Octagon

For the octagon spa cover measure from lip to lip add 1" of play. Also, measure one panel of the octagon from point to point. The only other measurement needed is the skirt length.

Ellipse or Special Shapes

Most of these covers will require a template provided by you to complete your cover properly. This would include spas with speaker bumps, waterfalls, or cut outs for rails or controls.

Buds Spas & Pools 597 Garner Rd E, Ancaster ON L9G 3K9								
(905)648-7727 Fax (905)648-9995 Email: retail@budsspas.com								
	Hot Tub Cover Order Sheet							
Name:		Date:						
Address:	Phone: ()							
Please indicate if you would like your spa cover delivered to your home. Additional charge applies.								
	•	us to dispose of your old hot tub cover. Additional charge applies. to cover? (may need reinforcing plates installed extra charges)			Yes Yes	No.	_	
Manufacturer:	Brand				163	Yea		
Cover Colour:	White	Desert Sand	Burgundy	Charcoal Atlantis - Black				Add \$115
	Almond		Sky Blue	Naw		Atlantis - Burgandy	F	Add \$115
	Tan	Chestnut	Lt. Grey	Teal		Atlantis - Forest Green	F	Add \$115
	Yew Green	Hunter Green	Black			Atlantis - Naw		Add \$115
	Ash Grey					Atlantis - Charcoal Grey	=	Add \$115
			add	\$40 Merlot		Atlantis - Dove Grey	F	Add \$115
Spa liner Grey (Standard)			add	\$40 Carbon		Atlantis - Brown	F	Add \$115
Taper:	3 - 2"	4 - 2"	4 - 3"	5 - 3"	5 - 4"	6 - 4'		
Design:	0-2		it short side	If fold is not inc		0 - 4		
Doorgin.	Bi-Fold	Эрі	manufacturer v		(\$80 Upg	rade)		
		Sp	olit long side	longest meas	surement.	Quad-Fold		
Skirt/Flap Length:		" (measured from bottom of cover - 6" or more is \$35 Upgrade)						
If fold is not indicated, the supplier will split the longest measurement. *Minimum of 2 straps in order to meet ASTM Safety Standards.								
Diagram								
ALL MEASUREMENTS TO BE GIVEN IN INCHES ONLY! Rectangle w/cut corners								
Rectangle w/radi	us corners	Octagon all sides equ		Multi-piece cover	CIS	Round		
+В —	<u> </u>	← B →		B		<u> </u>		
	A:		A:		A:			A:
	B: C:		B:		B:			
	- C.	_	A A		U	î 🚺		
<u> </u>			* *	- Am				
Rectangle w/90 c	corners	One cut corner right*		One cut corner	r left*	Two cut corners		
в_		← B → / _*		₩ В —	→	— <u>B</u>		
		C		5		,c		
_ A	A: B:		A: B:	Ì	A: A B:		† D	A: B:
î	2.		C:	D	C:		Į.↓	C:
			D: E:	Ī	D: E:	- /		D: E:
		* E	* L	+ E	+	— E	-	
*cut corner covers require completed "cut corner form" to submit order In order to ensure fast, efficient manufacture of your new spa cover, please fill in ALL sections accurately. Please note: ANY								
ERRORS ON THIS SHEET ARE THE SOLE RESPONSIBILITY OF THE CUSTOMER AND BUD'S SPAS AND POOLS WILL NOT BE								
LIABLE FOR MISTAKES HEREIN. Any changes made after the order are not guaranteed and may delay orders longer than suggested date. A \$300 deposit is required before an order can be processed.								
Signature: Date:								
Please allow 8-12 weeks for covers. Balance owing is due before delivery or upon pick-up.								